



*HSR-BENELLI*  
*MOMENTS BEFORE FLYING*



*PRODUCT RANGE 2009*



## S4

S4



PRICE: 5.900 €

<b>ENGINE</b>	
ENGINE TYPE	4-stroke turbo charged, OHC - 4 valves per cylinder
DISPLACEMENT	749 cc
MAX. HORSEPOWER	110 HP
BORE/STROKE	85 mm x 66 mm
COOLING SYSTEM	Open loop
FUEL	Regular unleaded/ 91-98 octane
COMPRESSION RATIO	9:1
TYPE OF EXHAUST	Wet
STARTING	Electric
IGNITION	Digital
INTAKE SYSTEM	EFI (Electronic)

<b>PROPULSION</b>	
PUMP	High-pressure axial flow
HULL MATERIAL	Fiberglass, high-stability infused composite
<b>DIMENSIONS</b>	
LENGTH	2,29 m
WIDTH	0,74 m
HEIGHT	0,70 m
VEHICLE CAPACITY	1 person
DRY WEIGHT	177 kg
FUEL CAPACITY	18 l
<b>EQUIPMENT</b>	
COLOR	Black/silver/orange

## S4 PRO EDITION



PRICE: 6.400 €

<b>ENGINE</b>	
ENGINE TYPE	4-stroke turbo charged, OHC - 4 valves per cylinder
DISPLACEMENT	749 cc
MAX. HORSEPOWER	110 HP
BORE/STROKE	85 mm x 66 mm
COOLING SYSTEM	Open loop
FUEL	Regular unleaded/ 91-98 octane
COMPRESSION RATIO	9:1
TYPE OF EXHAUST	Wet
STARTING	Electric
IGNITION	Digital
INTAKE SYSTEM	EFI (Electronic)

<b>PROPULSION</b>	
PUMP	High-pressure axial flow
HULL MATERIAL	Fiberglass, high-stability infused composite
<b>DIMENSIONS</b>	
LENGTH	2,29 m
WIDTH	0,74 m
HEIGHT	0,70 m
VEHICLE CAPACITY	1 person
DRY WEIGHT	177 kg
FUEL CAPACITY	18 l
<b>EQUIPMENT</b>	
COLOR	Black/silver/red

## SERIES-S

### NAKED EDITION NEW



PRICE: 6.900 €

<b>ENGINE</b>	
ENGINE TYPE	3 cylinder 4-stroke, DOHC - 4 valves per cylinder
DISPLACEMENT	1.130 cc
MAX. HORSEPOWER	100 HP
BORE/STROKE	88 mm x 62 mm
COOLING SYSTEM	Closed loop
FUEL	Regular unleaded/ 95 octane
COMPRESSION RATIO	12,5:1
TYPE OF EXHAUST	Wet
STARTING	Electric
IGNITION	Digital
INTAKE SYSTEM	EFI (Electronic)

<b>PROPULSION</b>	
PUMP	High-pressure axial flow
HULL MATERIAL	Fiberglass, high-stability RTM composite
<b>DIMENSIONS</b>	
LENGTH	2,32 m
WIDTH	0,70 m
HEIGHT	0,67 m
VEHICLE CAPACITY	1 person
DRY WEIGHT	170 kg
FUEL CAPACITY	18 l
<b>EQUIPMENT</b>	
COLOR	Black/green
HANDLEPOLE	Fiberglass

### PRO EDITION



PRICE: 13.900 €

<b>ENGINE</b>	
ENGINE TYPE	3 cylinder 4-stroke, DOHC - 4 valves per cylinder
DISPLACEMENT	1.130 cc
MAX. HORSEPOWER	142 HP
BORE/STROKE	88 mm x 62 mm
COOLING SYSTEM	Closed loop
FUEL	Regular unleaded/ 95 octane
COMPRESSION RATIO	12,5:1
TYPE OF EXHAUST	Wet
STARTING	Electric
IGNITION	Digital
INTAKE SYSTEM	EFI (Electronic)

<b>PROPULSION</b>	
PUMP	High-pressure axial flow
HULL MATERIAL	Fiberglass, high-stability RTM composite
<b>DIMENSIONS</b>	
LENGTH	2,32 m
WIDTH	0,70 m
HEIGHT	0,67 m
VEHICLE CAPACITY	1 person
DRY WEIGHT	168 kg
FUEL CAPACITY	18 l
<b>EQUIPMENT</b>	
COLOR	Black/white/red
DASHBOARD	Integrated RFID function
TRIM	Hydraulic system
HANDLEPOLE	Aluminium

### RACE EDITION



PRICE: 16.500 €

<b>ENGINE</b>	
ENGINE TYPE	3 cylinder 4-stroke, DOHC - 4 valves per cylinder
DISPLACEMENT	1.130 cc
MAX. HORSEPOWER	162 HP
BORE/STROKE	88 mm x 62 mm
COOLING SYSTEM	Closed loop
FUEL	Regular unleaded/ 95 octane
COMPRESSION RATIO	13:1
TYPE OF EXHAUST	Wet
STARTING	Electric
IGNITION	Digital
INTAKE SYSTEM	EFI (Electronic)

<b>PROPULSION</b>	
PUMP	High-pressure axial flow
HULL MATERIAL	Fiberglass, high-stability RTM composite
<b>DIMENSIONS</b>	
LENGTH	2,32 m
WIDTH	0,70 m
HEIGHT	0,67 m
VEHICLE CAPACITY	1 person
DRY WEIGHT	168 kg
FUEL CAPACITY	18 l
<b>EQUIPMENT</b>	
COLOR	Black/red
DASHBOARD	Integrated RFID function
TRIM	Hydraulic system
HANDLEPOLE	Aluminium



## SERIES-R

### SPORT EDITION **NEW**



PRICE: 8.900 €

<b>ENGINE</b>	
ENGINE TYPE	3 cylinder 4-stroke, DOHC - 4 valves per cylinder
DISPLACEMENT	1.130 cc
MAX. HORSEPOWER	100 HP
BORE/STROKE	88 mm x 62 mm
COOLING SYSTEM	Closed loop
FUEL	Regular unleaded/ 95 octane
COMPRESSION RATIO	12,5:1
TYPE OF EXHAUST	Wet
STARTING	Electric
IGNITION	Digital
INTAKE SYSTEM	EFI (Electronic)

<b>PROPULSION</b>	
PUMP	High-pressure axial flow
HULL MATERIAL	Fiberglass, high-stability RTM composite

<b>DIMENSIONS</b>	
LENGTH	3,23 m
WIDTH	1,20 m
HEIGHT	1,03 m
VEHICLE CAPACITY	1-3 persons
DRY WEIGHT	261 kg
FUEL CAPACITY	70 l

<b>EQUIPMENT</b>	
COLOR	Black/orange
DASHBOARD	Integrated RFID function

### NAKED EDITION



PRICE: 10.900 €


<b>ENGINE</b>	
ENGINE TYPE	3 cylinder 4-stroke, DOHC - 4 valves per cylinder
DISPLACEMENT	1.130 cc
MAX. HORSEPOWER	142 HP
BORE/STROKE	88 mm x 62 mm
COOLING SYSTEM	Closed loop
FUEL	Regular unleaded/ 95 octane
COMPRESSION RATIO	12,5:1
TYPE OF EXHAUST	Wet
STARTING	Electric
IGNITION	Digital
INTAKE SYSTEM	EFI (Electronic)

<b>PROPULSION</b>	
PUMP	High-pressure axial flow
HULL MATERIAL	Fiberglass, high-stability RTM composite

<b>DIMENSIONS</b>	
LENGTH	3,23 m
WIDTH	1,20 m
HEIGHT	1,03 m
VEHICLE CAPACITY	1-3 persons
DRY WEIGHT	260 kg
FUEL CAPACITY	70 l

<b>EQUIPMENT</b>	
COLOR	Black/green
DASHBOARD	Integrated RFID function
SPONSONS	Adjustable sponsons

### PRO EDITION



PRICE: 11.900 €

<b>ENGINE</b>	
ENGINE TYPE	3 cylinder 4-stroke, DOHC - 4 valves per cylinder
DISPLACEMENT	1.130 cc
MAX. HORSEPOWER	172 HP
BORE/STROKE	88 mm x 62 mm
COOLING SYSTEM	Closed loop
FUEL	Regular unleaded/ 95 octane
COMPRESSION RATIO	13:1
TYPE OF EXHAUST	Wet
STARTING	Electric
IGNITION	Digital
INTAKE SYSTEM	EFI (Electronic)

<b>PROPULSION</b>	
PUMP	High-pressure axial flow with reverse
HULL MATERIAL	Fiberglass, high-stability RTM composite

<b>DIMENSIONS</b>	
LENGTH	3,23 m
WIDTH	1,20 m
HEIGHT	1,03 m
VEHICLE CAPACITY	1-3 persons
DRY WEIGHT	263 kg
FUEL CAPACITY	70 l

<b>EQUIPMENT</b>	
COLOR	Black/white/red
DASHBOARD	Integrated RFID function
SPONSONS	Adjustable sponsons
MIRROR	Rear-view
TRIM	Hydraulic system

### PRESTIGE



PRICE: 15.900 €

<b>ENGINE</b>	
ENGINE TYPE	V6 cylinder 51° 4-stroke, DOHC - 4 valves per cylinder
DISPLACEMENT	2.260 cc
MAX. HORSEPOWER	278 HP
BORE/STROKE	88 mm x 62 mm
COOLING SYSTEM	Closed loop
FUEL	Regular unleaded/ 95 octane
COMPRESSION RATIO	12,5:1
TYPE OF EXHAUST	Wet
STARTING	Electric
IGNITION	Digital
INTAKE SYSTEM	EFI (Electronic)

<b>PROPULSION</b>	
PUMP	High-pressure axial flow with reverse
HULL MATERIAL	Fiberglass, high-stability RTM composite

<b>DIMENSIONS</b>	
LENGTH	3,23 m
WIDTH	1,20 m
HEIGHT	1,03 m
VEHICLE CAPACITY	1-3 persons
DRY WEIGHT	328 kg
FUEL CAPACITY	87 l

<b>EQUIPMENT</b>	
COLOR	Black/silver/carbon
DASHBOARD	Integrated RFID function
SPONSONS	Adjustable sponsons
MIRROR	Rear-view
TRIM	Hydraulic system

### RACE EDITION



PRICE: 19.900 €

<b>ENGINE</b>	
ENGINE TYPE	V6 cylinder 51° 4-stroke, DOHC - 4 valves per cylinder
DISPLACEMENT	2.260 cc
MAX. HORSEPOWER	342 HP
BORE/STROKE	88 mm x 62 mm
COOLING SYSTEM	Closed loop
FUEL	Regular unleaded/ 95 octane
COMPRESSION RATIO	13:1
TYPE OF EXHAUST	Wet
STARTING	Electric
IGNITION	Digital
INTAKE SYSTEM	EFI (Electronic)

<b>PROPULSION</b>	
PUMP	High-pressure axial flow with reverse
HULL MATERIAL	Fiberglass, high-stability RTM composite

<b>DIMENSIONS</b>	
LENGTH	3,23 m
WIDTH	1,20 m
HEIGHT	1,03 m
VEHICLE CAPACITY	1-3 persons
DRY WEIGHT	328 kg
FUEL CAPACITY	87 l

<b>EQUIPMENT</b>	
COLOR	Black/red/silver/carbon
DASHBOARD	Integrated RFID function
SPONSONS	Adjustable sponsons
MIRROR	Rear-view
TRIM	Hydraulic system

Prices are excl. VAT, ex works and exclude any special taxes. Because of our ongoing commitment to product innovation, we reserve the right, at any time, to discontinue or change designs, specifications, features, models, equipment or prices without incurring obligation.



[WWW.HSR-BENELLI.COM](http://WWW.HSR-BENELLI.COM)

**HSR-BENELLI Mission Statement**

HSR-BENELLI is an Austrian company which stands for:

**Performance/Power, Innovation, Design, Quality and Emotion.**

Our competence is the key element towards becoming a prestige brand.

A meticulously arranged organizational structure enables us to operate flexibly on the market.

Our measure of success depends on identity, qualification, motivation and responsibility of each of our employees.

Our clients are proud of our products.

**HSR-BENELLI GmbH & Co KG**  
Wiener Straße 71, 3380 Pöchlarn, Austria

**Dealer**

